ELSEVIER

Toxicology 118 (1997) 241–242

TOXICOLOGY

Volume contents

Volume 118 (1997)

Lead-induced alteration of heparan sulfate proteoglycans in cultured vascular endothelial cells
AQ possible mechanism involved in pathogenesis of lead-induced vascular lesions
T. Kaji, S. Ohkawara, M. Nakajima, C. Yamamoto, Y. Fujiwara, S. Miyajima, F. Koizumi (Japan) 1–10

A comparison of the suppression of human transferrin synthesis by lead and lipopolysaccharide
Lead may interfere with iron metabolism in man by affecting transferrin levels
K.M. Barnum-Huckins, A.O. Martinez, E.V. Rivera, E.K. Adrian, Jr., D.C. Herbert, F.J. Weaker, C.A. Walter, G.S. Adrian (USA) 11–22

Characterization of methemoglobin formation induced by 3,5-dichloroaniline, 4-amino-2,6-dichlorophenol and 3,5-dichlorophenylhydroxylamine
Glutathione depletion was associated with MetHb formation by 3,5-dichlorophenylhydroxylamine
M.A. Valentovic, B.A. Rogers, M.K. Meadows, J.T. Conner, E. Williams, S.K. Hong, G.O. Rankin (USA) 23–36

Mouse strain and source of L-tryptophan affects hepatic nuclear tryptophan binding
NZBWF1 mice have lower specific binding affinity for L-tryptophan than other strains
H. Sidransky, E. Verney (USA) 37–47

Comparative effects of the chelators sodium 4,5-dihydroxybenzene-1,3-disulfonate (Tiron) and diethylenetriamine-pentaacetic acid (DTPA) on acute uranium nephrotoxicity in rats
Tiron is moderately more nephroprotective than DTPA
J.L. Domingo, A. de la Torre, M. Bellés, Emilio Mayayo, J.M. Llobet, J. Corbella (Spain) 49–59

Immunotoxicology

Cytokine mRNA expression in lung tissue from toxic oil syndrome patients: a TH2 immunological mechanism
A significant increase in the mRNA expression of Th1 cytokines and a decrease in Th2 cytokines was found in patients with the toxic oil syndrome
V. del Pozo, B. de Andrés, S. Gallardo, B. Cárdaba, E. de Arruda-Chaves, M.I. Cortegano, A. Jurado, P. Palomino, H. Oliva, B. Aguilera, M. Posada, C. Lahoz (Spain) 61–70

Study of apoptosis in human lymphocytes by toxic substances implicated in Toxic Oil Syndrome
The di-oleyl ester of 3-(N-phenylamino)-1,2-propanediol, a product related to the toxic oil syndrome, was shown to induce apoptosis of human lymphocytes
S. Gallardo, B. Cárdaba, V. del Pozo, B. de Andrés, I. Cortegano, A. Jurado, P. Tramón, P. Palomino, C. Lahoz (Spain) 71–82

Announcement 83

Tolerance to cadmium cytotoxicity is induced by zinc through non-metallothionein mechanisms as well as metallothionein induction in cultured cells
Prevention of intracellular Cd accumulation appears to be the protective event
A. Mishima, C. Yamamoto, Y. Fujiwara, T. Kaji (Japan) 85–92

Molecular modelling of CYP2E1 enzymes from rat, mouse and man: An explanation for species differences in butadiene metabolism and potential carcinogenicity, and rationalization of CYP2E substrate specificity
Putative modelling of the active site is described
D.F.V. Lewis, M.G. Bird, D.V. Parke (UK, USA) 93–113

Diaminonaphthalenes and related aminocompounds: Mutagenicity, CYP1A induction and interaction with the Ah receptor
Structure-activity and planarity considerations are given with respect to the three parameters
Y.-L. Cheung, D.F.V. Lewis, T.I. Ridd, T.J.B. Gray, C. Ioannides (UK) 115–127

The semiconductor elements arsenic and indium induce apoptosis in rat thymocytes
Extent of apoptosis after 6 hours is dose-dependent
J. Bustamante, L. Dock, M. Vahter, B. Fowler, S. Orrenius (Argentina, Sweden, USA) 129–136

Effects of benzene on splenic, thymic, and femoral lymphocytes in mice
Reduced number of splenic B-lymphocytes was a sensitive endpoint
G.M. Farris, S.N. Robinson, B.A. Wong, V.A. Wong, W.P. Hahn, R. Shah (USA) 137–148

Hypothermia and delayed fever in the male and female rat exposed to chlorpyrifos
Testicular function may be an important determinant in the febrile response of male rats
C.J. Gordon, T.A. Grantham, Y. Yang (USA) 149–158

Urinary taurine as a non-invasive marker of aflatoxin B_1-induced hepatotoxicity: success and failure
When hepatotoxicity is extensive, urinary taurine is a good non-invasive marker, but not so at low doses of exposure
Y.Y. Maxuitenko, W.G. North, B.D. Roebuck (USA) 159–169

Involvement of cytochrome P4502E1 in the toxicity of dichloropropanol to rat hepatocyte cultures
Isoniazid-inducible P4502E1 can mediate the toxicity of dichloropropanol
A.H. Hammond, J.R. Fry (UK) 171–179

Tissue injury and repair as parallel and opposing responses to CCl_4 hepatotoxicity: a novel dose-response
Time of onset of tissue repair may determine extent of tissue injury
P.S. Rao, R.S. Mangipudy, H.M. Mehendale (USA) 181–193

Furan-induced liver cell proliferation and apoptosis in female B6C3F1 mice
Furan elicits hepatotoxicity through a toxic metabolite
R. Fransson-Steen, T.L. Goldsworthy, G.L. Kedderis, R.R. Maronpot (USA) 195–204

Reduction of ochratoxin A toxicity by heat-induced epimerization. In vitro effects of ochratoxins on embryonic chick meningeal and other cell cultures
Various orchatoxins display different degrees of toxicity
A. Bruinink, T. Rasonyi, C. Sidler (Switzerland) 205–210

Exposure of tilapian fish to the pesticide lindane results in hypocellularity of the primary hematopoietic organ (pronephros) and the spleen without altering activity of phagocytic cells in these organs
Cellular depletion in spleen and pronephros may be a sensitive indicator of lindane exposure
L.J. Hart, S.A. Smith, B.J. Smith, J. Robertson, S.D. Holladay (USA) 211–221

Immunotoxicology

Antibody specificity to the chemical structures of organic acid anhydrides studied by in-vitro and in-vivo methods
The ring structure and the positions of double bonds and of methyl groups are important features for the antigenic activity of organic acid anhydrides
X.-D. Zhang, J. Lötvall, S. Skerfving, H. Welinder (Sweden) 223–232

Corrigendum 233
Author Index 235
Subject Index 237–239
Volume Contents 241–242